

# Download



[Glasgow Coma Scale 1.3 Purchase For Mac](#)

Motor Component of the Glasgow Coma Scale

*Kupat, Melnychuk & Young*

**Table 1.** Sensitivity, specificity, positive likelihood ratio, and negative likelihood ratio of total GCS versus GCS-m only scores in predicting outcomes.

Outcome	GCS Score $\leq 13$ (95% CI)	GCS-m Score $\leq 6$ (95% CI)	Relative Difference (95% CI)
<b>ISS &gt;15, %</b>			
Sensitivity	31.3 (31.0 to 31.6)	28.0 (27.7 to 28.3)	3.3 (3.2 to 3.4)
Specificity	91.3 (91.2 to 91.4)	92.8 (92.7 to 92.9)	-1.5 (-1.6 to -1.5)
LR+	2.54 (2.52 to 2.56)	2.56 (2.54 to 2.59)	
LR-	0.53 (0.53 to 0.54)	0.51 (0.51 to 0.52)	
<b>ISS &gt;24, %</b>			
Sensitivity	47.2 (46.7 to 47.6)	43.7 (43.3 to 44.2)	3.5 (3.3 to 3.6)
Specificity	89.3 (89.2 to 89.4)	91.1 (91.0 to 91.2)	-1.8 (-1.9 to -1.8)
LR+	4.97 (4.89 to 5.05)	5.11 (5.03 to 5.19)	
LR-	0.67 (0.66 to 0.67)	0.64 (0.64 to 0.65)	
<b>Died, %</b>			
Sensitivity	69.8 (69.2 to 70.4)	67.3 (66.7 to 67.9)	2.5 (2.2 to 2.7)
Specificity	88.1 (88.0 to 88.2)	90.1 (90.0 to 90.2)	-2.0 (-2.1 to -1.9)
LR+	12.88 (12.52 to 13.25)	13.55 (13.183 to 13.920)	
LR-	0.76 (0.75 to 0.76)	0.726 (0.722 to 0.730)	
<b>ICU admission, %</b>			
Sensitivity	27.3 (27.1 to 27.5)	23.9 (23.7 to 24.1)	3.39 (3.29 to 3.50)
Specificity	91.6 (91.4 to 91.8)	92.7 (92.6 to 92.9)	-1.25 (-1.24 to -1.06)
LR+	1.52 (1.52 to 1.53)	1.51 (1.50 to 1.51)	
LR-	0.37 (0.37 to 0.38)	0.37 (0.37 to 0.38)	
<b>Intubation, %</b>			
Sensitivity	83.7 (83.3 to 84.2)	81.3 (80.9 to 81.8)	2.4 (2.1 to 2.6)
Specificity	90.0 (89.9 to 90.1)	92.0 (91.9 to 92.1)	-2.0 (-2.1 to -1.9)
LR+	28.62 (27.72 to 29.53)	28.70 (27.85 to 29.55)	
LR-	0.62 (0.62 to 0.62)	0.57 (0.57 to 0.58)	
<b>Trauma care need, %</b>			
Sensitivity	28.2 (27.9 to 28.4)	25.1 (24.9 to 25.3)	3.0 (2.9 to 3.1)
Specificity	93.7 (93.6 to 93.8)	95.0 (94.9 to 95.1)	-1.3 (-1.4 to -1.3)
LR+	2.19 (2.17 to 2.20)	2.21 (2.19 to 2.22)	
LR-	0.38 (0.37 to 0.38)	0.35 (0.34 to 0.35)	
<b>Surgery, %</b>			
Sensitivity	33.5 (33.0 to 34.0)	30.5 (30.0 to 31.0)	3.0 (2.8 to 3.2)
Specificity	86.5 (86.4 to 86.6)	88.4 (88.3 to 88.5)	-1.9 (-2.0 to -1.9)
LR+	2.81 (2.75 to 2.87)	2.89 (2.83 to 2.96)	
LR-	0.87 (0.87 to 0.88)	0.86 (0.86 to 0.87)	
<b>Cradotomy, %</b>			
Sensitivity	51.4 (50.2 to 52.5)	46.5 (45.4 to 47.7)	4.9 (4.3 to 5.4)
Specificity	85.9 (85.8 to 86.0)	87.8 (87.7 to 87.9)	-2.0 (-2.0 to -1.9)
LR+	6.03 (5.76 to 6.30)	5.88 (5.61 to 6.12)	
LR-	0.94 (0.94 to 0.94)	0.94 (0.94 to 0.94)	

CI, Confidence interval; LR+, positive likelihood ratio; LR-, negative likelihood ratio.

[Glasgow Coma Scale 1.3 Purchase For Mac](#)

---

**Download**



Copyright © 2017, AAPC Screen flow vs camtasia for mac Many more foreign hostages than originally reported were taken by the Al Qaeda terrorists at the Amenas gas plant in Algeria.

- Save anywhere from 10%-50% with exclusive member discounts on courses, books, study materials, and conferences.. Please note that the opinions expressed here do not necessarily reflect those of AAPC.

- Join over 150,000 members of the healthcare network in the world
- Be a part of an industry leading organization that drives the business side of healthcare.. The British government offered the Algerians manpower, equipment, and expert assistance to expedite the resolution of the crisis, but was refused.. The Angolan government says that work permits were issued for the Chinese to assist with development projects.. A Glasgow Coma Scale (GCS) score of 8 or less, ventilatory failure, central neurogenic hyperventilation, and recurrent seizures are all indications for intubation and ventilation.

Motor Component of the Glasgow Coma Scale

Kupa, Melnychuk & Young

**Table 1.** Sensitivity, specificity, positive likelihood ratio, and negative likelihood ratio of total GCS versus GCS-m only scores in predicting outcomes.

Outcome	GCS Score ≤13 (95% CI)	GCS-m Score <6 (95% CI)	Relative Difference (95% CI)
<b>ISS &gt;15, %</b>			
Sensitivity	31.3 (31.0 to 31.6)	28.0 (27.7 to 28.3)	3.3 (3.2 to 3.4)
Specificity	91.3 (91.2 to 91.4)	92.8 (92.7 to 92.9)	-1.5 (-1.6 to -1.5)
LR+	2.54 (2.52 to 2.56)	2.56 (2.54 to 2.59)	
LR-	0.53 (0.53 to 0.54)	0.51 (0.51 to 0.52)	
<b>ISS &gt;24, %</b>			
Sensitivity	47.2 (46.7 to 47.6)	43.7 (43.3 to 44.2)	3.5 (3.3 to 3.6)
Specificity	89.3 (89.2 to 89.4)	91.1 (91.0 to 91.2)	-1.8 (-1.9 to -1.8)
LR+	4.97 (4.89 to 5.05)	5.11 (5.03 to 5.19)	
LR-	0.67 (0.66 to 0.67)	0.64 (0.64 to 0.65)	
<b>Dead, %</b>			
Sensitivity	69.6 (69.2 to 70.4)	67.3 (66.7 to 67.9)	2.5 (2.2 to 2.7)
Specificity	88.1 (88.0 to 88.2)	90.1 (90.0 to 90.2)	-2.0 (-2.1 to -1.9)
LR+	12.88 (12.52 to 13.25)	13.55 (13.183 to 13.920)	
LR-	0.76 (0.75 to 0.76)	0.726 (0.722 to 0.730)	
<b>ICU admission, %</b>			
Sensitivity	27.3 (27.1 to 27.5)	23.9 (23.7 to 24.1)	3.39 (3.29 to 3.50)
Specificity	91.6 (91.4 to 91.8)	92.7 (92.6 to 92.9)	-1.15 (-1.24 to -1.06)
LR+	1.52 (1.52 to 1.53)	1.51 (1.50 to 1.51)	
LR-	0.37 (0.37 to 0.38)	0.37 (0.37 to 0.38)	
<b>Intubation, %</b>			
Sensitivity	83.7 (83.3 to 84.2)	81.3 (80.9 to 81.8)	2.4 (2.1 to 2.6)
Specificity	90.0 (89.9 to 90.1)	92.0 (91.9 to 92.1)	-2.0 (-2.1 to -1.9)
LR+	28.62 (27.72 to 29.53)	28.70 (27.85 to 29.55)	
LR-	0.62 (0.62 to 0.62)	0.57 (0.57 to 0.58)	
<b>Trauma care need, %</b>			
Sensitivity	28.2 (27.9 to 28.4)	25.1 (24.9 to 25.3)	3.0 (2.9 to 3.1)
Specificity	93.7 (93.6 to 93.8)	95.0 (94.9 to 95.1)	-1.3 (-1.4 to -1.3)
LR+	2.19 (2.17 to 2.20)	2.21 (2.19 to 2.22)	
LR-	0.38 (0.37 to 0.38)	0.35 (0.34 to 0.35)	
<b>Surgery, %</b>			
Sensitivity	33.5 (33.0 to 34.0)	30.5 (30.0 to 31.0)	3.0 (2.8 to 3.2)
Specificity	86.5 (86.4 to 86.6)	88.4 (88.3 to 88.5)	-1.9 (-2.0 to -1.9)
LR+	2.81 (2.75 to 2.87)	2.89 (2.83 to 2.96)	
LR-	0.67 (0.67 to 0.68)	0.66 (0.66 to 0.67)	
<b>Craniotomy, %</b>			
Sensitivity	51.4 (50.2 to 52.5)	46.5 (45.4 to 47.7)	4.9 (4.3 to 5.4)
Specificity	85.9 (85.8 to 86.0)	87.8 (87.7 to 87.9)	-2.0 (-2.0 to -1.9)
LR+	6.03 (5.76 to 6.30)	5.88 (5.61 to 6.12)	
LR-	0.94 (0.94 to 0.94)	0.94 (0.94 to 0.94)	

CI, Confidence interval; LR+, positive likelihood ratio; LR-, negative likelihood ratio.

Disclaimer: Although AAPC staff members will monitor these forums periodically, we cannot be responsible for the information posted herein, nor guarantee its accuracy.. Glasgow Coma Scale 13 Purchase For MacClose Message In addition to full participation on AAPC forums, as a member you will be able to:

- Access to the largest healthcare job database in the world.

5 to 50 kPa) This project is supported in part by the NIH Specialized Programs of Translational Research in Acute Stroke

---

(SPOTRIAS) Network, and NINDS grant 3P50NS055977 to Washington University in St. • Become a member of a local chapter and attend regular meetings dofus 2 25 1.. [https://nixdowntown500 weebly com/blog/online-casino-south-africa-for-mac](https://nixdowntown500.weebly.com/blog/online-casino-south-africa-for-mac) Louis School of Medicine and UT Southwestern Medical Center.. Our members may discuss various subjects related to medical coding, but none of the information should replace the independent judgment of a physician for any given health issue.. The Algerian government says that 100 out of 132 were freed, and some sources say that 30 or more hostages were killed.. • Access to discounts at hundreds of restaurants, travel destinations, retail stores, and service providers.. 90112 3 free download for mac Search Engine Optimisation provided by - Copyright © 2018 DragonByte Technologies Ltd.. American, British, and French nationals are thought to be among the dead In other news, the latest figures from Angola indicate that at least 250,000 Chinese nationals have migrated to the country.. Reasonable targets include a Pa o 2 higher than 75 mm Hg (10 kPa) and a Pa co 2 of 36 to 40 mm Hg (4).

73563d744f

[Stan amp: Ollie 2018](#)

[Driver De Golf Mizuno Aerolite 029](#)

[Unduh Minecraft Pe Dl Demo](#)

[Move App To Desktop Mac](#)

[Download Mac Os X Capitan](#)

[Riyadul Salihin Pdf](#)

[ByClouder Partition Wiederherstellung pro Crack](#)

[Team Fortress 2 Prop Hunt Server](#)

[Is There A Real Way To Play Pubg For Mac 2018](#)

[Best Place For Snes Roms](#)